



Why DropEnd only ?

- *Simply because it has proven its performance far better than big branded known products.*
- *Simply because it is a seal of guarantee*
- *Simply because it waterproofs by crystallization and therefore the breathing severity of concrete is reduced.*
- *Simply because it fulfills your expectations.*
- *Simply because it considers and accommodates tricky characters of concrete.*
- *Simply because it leaves you worry free.*
- *Simply because it has successfully replaced traditional concept of waterproofing.*



DropEnd

A Worldclass Waterproofing Product

Manufacturer - Supplier - Applicator

ENDROP MKTG & CONTRACTS

A-Bldg., Shree Samarth Soc., Vastu Nagar,
Bibwewadi-Kondhwa Rd, Bibwewadi Pune 411037.

E-mail : endrop.24@gmail.com

98236 62038 Ketan : 98236 62038



DropEnd

A Worldclass Waterproofing Product

(Adding Life to Your Construction)

for ready reference

W A T E R P R O O F I N G



Product :

DropEnd is a texturised blend of materials especially designed to consider all the characters of concrete. DropEnd is a compound of calcareous and argillaceous substance and therefore the product falls in the category of building materials. DropEnd is based on cement with a proportionate mixture of treated quartz, calcinated silica, precipitated minerals, flowing agents, plasticizers, fibres, booster etc.

Origination :

The product is 100% indigenous. All raw materials are from Indian soil and are procured from local market.

Colour :

Superior white

INTEGRATION:

The DropEnd membrane has a permanent relationship with cementitious surface and becomes an integrated part of structure.

OUTPUT & COSTING :

Application is easy and output is high.

DropEnd applications are highly cost effective.

How does it works :

When water penetrates into concrete through capillaries, some ingredients in the material enter and occupy voids. When water evaporates, the ingredients turn into insoluble crystals. Therefore the severity of vapour expelling is minimized. The emulsion then forms a rigid membrane over the surface which permits breathing, but forecloses an access to water.

Features :

1. DropEnd waterproofs by crystallization and forms rigid membrane over Surface, which permits concrete to breath without cracking.
2. DropEnd is a single product applicable at any part of civil structure.
3. DropEnd is applied on wet surface.

Curing :

Sprinkle water for 1-2 days.

Consumption :

1.2 kg. DropEnd / sq.mtr. For concrete surface.

0.75 kg. DropEnd / sq.mtr. For plaster surface.

(Consumption varies with surface condition)



Field of Application :

Any cementitious rigid surface from basement to top of roof.

Ideal Replacement :


DropEnd application is an ideal replacement to box type waterproofing at basements. It is trustful and economical. DropEnd is performing excellent at various basements of prestigious Projects.

DropEnd coating is an ideal replacement to any resin base coats.


DropEnd is an ideal & economical coating to slopping slabs.

DropEnd Waterproofing System Company Performance List


Client	Scope of Work	Application Area (Approx.)	Site	Year of Treatment
Bajaj Black & Decker (I) Ltd.	Ware House-Slab, Admin Bldg. Roof Slab, Exterior Wall	20000 Sq.ft	Bajaj Ventures Ltd. Chakan	2007
Clover Group	Toilet Sunk, Sitouts, Tarraces, U.G & O.H Water Tank	100000 Sq.ft	Clover Acropolis Vimannagar	2007
Namrata Group	Sloping Roofs, Toilet Sunks	35000 Sq.ft	Flora City Talegaon	2008
Four Seasons Shelters	Exterior Wall, Toilet Sunk, Water Tanks	80000 Sq.ft	Anushka Alandi Moshi Rd	2009
Bhandari & Gelda Asso.	Exterior Walls Podium Slab	150000 Sq.ft	Prayēja City Sinhagad Rd.	2009
Sobha Developers Ltd.	Podium Slab	14000 Sq.ft	Sobha Carnation Kondwa	2010
G.M. Kenjale Asso.	Podium Slab, Roof Slab, Toilet Sunk, Water Tank	125000 Sq.ft	Light House Bibwewadi, Spring Meadows Nhare	2011
Kunal Sancheti Asso.	Podium Slab Tarrace	15000 Sq.ft	Venezia Baner	2012
Rachana Lifestyle	Toilet Sunks	5000 Sq.ft	Polaris- Prabhat Rd	2013
Suyog Infrastructure Ltd	Roof Slab, Rcc Floors, Toilet Sunks, Water Tanks	100000 Sq.ft	Aura- Varje, Wagholi, SuyogLeher Kondhwa.	2014
Chordiya Group	Podium Slab	10000 Sq.ft	Solitaire -v- Bibwewadi	2015




DETAILS FOR RCC TRENCH



Exterior Wall



DETAILS FOR SLOPING ROOF



WATERPROOFING DETAILS FOR TERRACE, PARAPET TOP, CHHAJJA



Few References

- Bajaj Black & Decker (I) Ltd.,
- Clover Group
- Namrata Group
- Four Seasons Shelters
- Bhandari & Gelda Asso.
- Sobha Developers Ltd.
- G.M. Kenjale Asso.
- Kunal Sancheti Asso.
- Rachana Lifestyle
- Suyog Infrastructure Ltd.
- Chordia Group

FIELD OF APPLICATION :

- ✓ **Roof Slabs**
- ✓ **Toilet Sunks**
- ✓ **Walls**
- ✓ **Projections**
- ✓ **Water Tanks (U.G. and O.H.)**
- ✓ **Parapet Tops**
- ✓ **Swimming Pools**
- ✓ **Basements (PCC and Pardi)**
- ✓ **Ducts & Pits**
- ✓ **Surface and Structural Cracks**



DEFINITION OF LEAKAGE :

The appearance of fungus does not differ from the appearance of dried leaky spot. Therefore, it becomes a problematic matter to decide and distinguish between the two. Once the fungus comes to life it is never eradicable. It comes back to life when it gets favourable humid weather. The best way out is to define and test during the monsoon. The simple definition of leakage is that if the bubble is seen on the surface or a drop trickles down, it is leakage. If the spot is scrapped off with polish paper or a hole is drilled through, and still the moisture is not noticed, it is fungus.

PRECAUTIONS:

Make the surface free from Dust and Greece

Apply on clean rigid surface

Drench the surface with plentiful of water

Apply on wet surface only.

For best results, apply on rigid surface with presence of moisture over it.

HIGHLIGHTS :

- DropEnd is applicable on any part of structure such as basements, ducts, sunk pointing, roof slabs etc.
- DropEnd allows concrete to breath.
- DropEnd is non inflammable.
- DropEnd is a product to relay on.
- DropEnd is guaranteed performance under any weather condition